

***SAFETY,
FOREIGN
COUNTRIES,
MISCELLANEOUS
GENERAL***

20


SERIES



- **DEVICE**
- **GTAs**
- **VIDEOTAPES**

MAP BOARD EVENT

FHTD 20-004



TRAINING CATEGORY/LEVEL UTILIZED:
General/All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training
aids during training exercises.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 1/2" x 24" x 69" plywood
(3) 4" Strap Hinges
1/8" Lexan Pockets
Painted flat black

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training aids during training exercises. Maps can be placed between the two pieces of clear Lexan.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 16" x 22" Lexan
(1) Strap Hinges

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training aids during training exercises. Maps can be placed between the two pieces of clear Lexan.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 16" x 22" Lexan
(1) Strap Hinges

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used to hold Maps and other training
aids during training exercises.
Enclosed on three sides and opened
on the top.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(2) 1/8" x 16" x 22" Lexan
(3) 1/4" Spacer Lexan

PUBLICATIONS:
None

MAP BOARD CLEAR

FHTD 20-32D



TRAINING CATEGORY/LEVEL UTILIZED:

General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used to hold Maps and other training aids during training exercises.

Enclosed on three sides and opened on the top. Lexan is hinged tri-fold, one sheet is 1/4" shorter to fold inside.

A 1/4" spacer is under one hinge.

POWER REQUIREMENTS:

None

PUBLICATIONS:

None

PHYSICAL INFORMATION:

(3) 1/8" x 16" x 22" Lexan

(1) 1/4" x 1/2" x 22" Spacer Lexan

(2) Strap Hinges

COMMANDER'S BOARD (COMPANY SCHEME)

FHTD 20-33A

COMMANDER'S BOARD							COMMANDER'S BOARD							COMMANDER'S BOARD										
S	M	T	W	TH	F	S	S	M	T	W	TH	F	S	S	M	T	W	TH	F	S				
CURRENT							T-3						T-6											
WK _____							WK _____						WK _____											
FOCUS _____							FOCUS _____						FOCUS _____											
T-1							T-4						COMPANY SCHEME											
WK _____							WK _____																	
FOCUS _____							FOCUS _____																	
T-2							T-5						COMPANY SCHEME											
WK _____							WK _____																	
FOCUS _____							FOCUS _____																	

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

EQUIPMENT REQUIRED, NOT SUPPLIED:
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

SPECIAL INSTALLATION REQUIREMENTS:
None

PURPOSE OF TRAINER:
Used for planning during training exercises.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
 (1) 1/2" x 4' x 8" plywood
 (3) 1/8" x 17" x 32" Lexan
 (7) 1/8" x 8" x 30" Lexan
 (1) 1/8" x 17" x 30" Lexan

PUBLICATIONS:
None

TRAINING SCHEDULE BOARD

FHTD 20-34A



TRAINING CATEGORY/LEVEL UTILIZED:

General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:

Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:

Used for scheduling during training
and exercises.

POWER REQUIREMENTS:

None

PHYSICAL INFORMATION:

(1) ½" x 4' x 8' plywood
(20) 9" x 11" Lexan Pockets

PUBLICATIONS:

None

TRAINING BOARD (LONG RANGE TRAINING CALENDARS)

FHTD 20-34B

	T+0		Company Mission	Company METL	Major Training Events, Commanders Goals
	T+1		Platoon METL	Battle Task Assessment	
	T+2		Long Range Training Calendars		Commander's Philosophy
	T+3		<div style="border: 1px solid black; height: 20px; width: 100%;"></div>		

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for long range training calendar.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
 (1) ½" x 4' x 8' plywood
 (8) 8 ½" x 11" Lexan drop in frames
 (4) 11" x 8 ½" Lexan drop in frames
 (4) 18" x 24" Plexiglas frames removable.

PUBLICATIONS:
None

**TRAINING BOARD
(LONG RANGE CALENDAR)**

FHTD 20-34C

Battalion METL	Long Range Calendar							
	1 st QTR	2 nd QTR						
<table border="1"> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>							3 rd QTR	4 th QTR

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for long range calendar.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
 (1) ½" x 4' x 8' plywood
 (6) 8 ½" x 11" Lexan drop in frames
 (4) 21" x 32" Plexiglas removable
 (1) 32" x 18" Plexiglas removable

PUBLICATIONS:
None

**TRAINING BOARD
(OPERATIONS BOARD)**

FHTD 20-34D

<table border="1"><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>									Operations	<table border="1"><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>				

TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for scheduling during training
and exercises.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(1) ½" x 4' x 8' plywood
(8) 8 ½" x 11" Plexiglas drop in frames
(1) 34" x 43" removable Plexiglas
(4) 16" x 21" drop in frames

PUBLICATIONS:
None

BRIEFING COPY HOLDER

FHTD 20-35



TRAINING CATEGORY/LEVEL UTILIZED:
General/All Levels

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
N/A

SOURCE AND METHOD OF OBTAINING:
Available at Local TSC

**SPECIAL INSTALLATION
REQUIREMENTS**
None

PURPOSE OF TRAINER:
Field briefing aid.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Wood Construction, 12" x 8 1/2" x 9 3/4"
with 3 ring binder

PUBLICATIONS:
N/A

TRAINING SCHEDULE BOARD

FHTD 20-36 Portrait
FHTD 20-36A Landscape



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for scheduling during training
and exercises.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
(1) ½" x 4' x 8' plywood
(27) 9" x 12" Plexiglas pockets
(Portrait or Landscaped)

PUBLICATIONS:
None

ICON HOLDER

FHTD 20-37



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding Icons. Lexan cut to
required size and glued together.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
Sample size:
(1) 1" x 2.5" Lexan (Approximate)
(1) 2" x 2.5" Lexan (Approximate)

PUBLICATIONS:
None

MAP BOARD EXPANDO VAN

FHTD 20-38



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Board in Expando
Vans. Designed to hang and store in
Expando Vans.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
68 1/2" x 95 1/2" Actual frame size, frame
covered with 6 mm flat black
corrugated plastic, final cover is clear
Lexan.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
6' x 10' green corrugated plastic folds
to 4' x 6' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 10' green corrugated plastic folds
to 4' x 6' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD GREEN PLASTIC

FHTD 20-41B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Plastic overlay
hangers on top. Foldable and
portable.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' green corrugated plastic folds to
4' x 4' w/overlay hangers.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137A



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. No hooks, hanger
or Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137B



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks & hanger,
but no Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks, hanger and
Lexan.

PUBLICATIONS:
None

MAP BOARD FOLDING

FHTD 20-2-137D



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for Map Boards. Foldable and
portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 8' plywood painted light gray
folds to 4' x 4'. Hooks, hanger and
Lexan. Lexan Pockets.

PUBLICATIONS:
None

CHALKBOARDS WITHOUT STANDS

FHTE 20-2-2A, 2B, 2C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for chalkboards without
stand. Unit is portable and can be
hung on walls.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame
4' x 6' Wood Frame
4' x 8' Wood Frame

PUBLICATIONS:
None

MAP BOARDS WITHOUT STANDS

FHTE 20-2-4A, 4B, 4C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for map board without stand.
Unit is portable and can be hung
on walls.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame w/Celotex inside
4' x 6' Wood Frame w/Celotex inside
4' x 8' Wood Frame w/Celotex inside

PUBLICATIONS:
None

MAP BOARDS WITH STANDS

FHTE 20-2-6A, 6B, 6C



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for map board with stand.
Unit is portable.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' x 4' Wood Frame w/Celotex inside
4' x 6' Wood Frame w/Celotex inside
4' x 8' Wood Frame w/Celotex inside

PUBLICATIONS:
None

EASEL, CHALKBOARD & GTA

FHTE 20-2-11



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding training aids map
boards and chalk boards.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
1" x 3" material cut to size with the
support legs hinged at the top and
stabilizing ropes at the bottom. The
tray is 1 ½" sq x 48" and notched to
make the tray. Easel is painted gray.

PUBLICATIONS:
None

EASEL, INSTRUCTOR TOPIC

FHTE 20-2-13



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for holding instructors name
strips and topic.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
3' High tripod w/2' x 2' plywood
front to hold name strips. Painted
gray.

PUBLICATIONS:
None

INSTRUCTOR STAND BOX TYPE

FHTE 20-2-15



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for instructors platform
during training.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
2' x 2' x 4' Open backed, 1 shelf,
sloped top, plywood construction.

PUBLICATIONS:
None

INSTRUCTOR STAND PEDESTAL TYPE

FHTE 20-2-16



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for instructors platform
during training.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4" x 4" Upright w/angled top,
sturdy 2" x 4" wood base.

PUBLICATIONS:
None

SAND BOX

FHTE 20-2-24



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for training.


POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' X 6' Wood box angled on
4" x 4" Legs.

PUBLICATIONS:
None

EASEL, BRIEFING CHART

FHTE 20-2-53



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**

None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**

None

PURPOSE OF TRAINER:
Used for holding briefing charts
and other items during training.

POWER REQUIREMENTS:

None


PHYSICAL INFORMATION:
1" x 1 ½" wood frame tripod.

PUBLICATIONS:

None

COFFIN

FHTE 20-2-57



TRAINING CATEGORY/LEVEL UTILIZED:
General/Level 1

**EQUIPMENT REQUIRED,
NOT SUPPLIED:**
None

SOURCE AND METHOD OF OBTAINING:
Available at local TSC

**SPECIAL INSTALLATION
REQUIREMENTS:**
None

PURPOSE OF TRAINER:
Used for training.

POWER REQUIREMENTS:
None

PHYSICAL INFORMATION:
4' X 6' Wood box angled on
4" x 4" Legs.

PUBLICATIONS:
None